

References.

- A1 J. Arthur: Unipotent Automorphic Representations: Conjectures. Soc. Math. de France, Astérisque 171-172 (1989), 13-71.
- AC J. Arthur and L. Clozel: Simple algebras, base change, and the advanced theory of the trace formula. Ann. of Math. Studies 120, Princeton 1989.
- Bo A. Borel: Automorphic L-functions. In: Proc. of Symp. in Pure Math., AMS 33, 2 (1979), 27-61.
- BW A. Borel and N. Wallach: Continuous cohomology, discrete subgroups, and representations of reductive groups. Ann. of Math. Studies 94, Princeton 1980.
- BL J. -L. Brylinski and J. -P. Labesse: Cohomologie d'intersection et fonctions L de certaines variétés de Shimura. Ann. Scient. Éc. Norm. Sup. (4) 17 (1984), 361-412.
- Ca W. Casselmann: The Hasse-Weil  $\zeta$ -function on some moduli varieties of dimension greater than one. In: Proc. of Symp. in Pure Math., AMS 33, 2 (1979), 141-163.
- D1 P. Deligne: La conjecture de Weil I. Publ. Math. IHES 43 (1974), 273-307.
- D2 - : Variétés de Shimura: Interprétation modulaire, et techniques de construction de modèles canoniques. In: Proc. of Symp. in Pure Math., AMS 33, 2 (1979), 247-289.
- D3 - : Motifs et groupes de Taniyama. In: P. Deligne et al.: Hodge cycles, motives, and Shimura varieties, Springer Lecture Notes in Math., 900 (1982), 261-279.
- HLR G. Harder, R. P. Langlands and M. Rapoport: Algebraische Zyklen auf Hilbert-Blumenthal-Flächen. J. Reine Angew. Math., 366 (1989).

- JL H. Jacquet and R. P. Langlands: Automorphic forms on  $GL(2)$ .  
Springer Lecture Notes in Math., vol. 114 (1970).
- K1 R. Kottwitz: Rational conjugacy classes in reductive groups.  
Duke Math. J., 49 (1982), 785-806.
- K2 - : Sign changes in harmonic analysis on reductive  
groups. Trans. Am. Math. Soc., 278 (1983), 289-297.
- K3 - : Stable trace formula: Cuspidal tempered terms.  
Duke Math. J., 51 (1984), 611-650.
- K4 - : Shimura varieties and twisted orbital inte-  
grals. Math. Ann. 269 (1984), 287-300.
- K5 - : **Isocrystals with additional structures.**  
**Comp. Math. 56 (1985), 201-220.**
- K6 - : Stable trace formula: Elliptic singular terms.  
Math. Ann. 275 (1986), 365-399.
- K7 - : Base change for unit elements of Hecke alge-  
bras. Comp. Math. 60 (1986), 237-250.
- K8 - : Tamagawa numbers. Ann. of Math., 127 (1988),  
629-648.
- La J. -P. Labesse: Fonction zêta locale et fonctions L de  
forms automorphes. In: Varieties de Shimura et Fonctions L,  
Publ. Math. de l'Université Paris VII (1979), 83-130.
- LL J. -P. Labesse and R. P. Langlands: L-indistinguishability  
for  $SL(2)$ . Can. J. Math. 31 (1979), 726-785.
- LI R. P. Langlands: Modular forms and  $\ell$ -adic representations.  
In: Modular Functions of One Variable, II, Springer Lecture  
Notes in Math., vol. 349 (1973), 362-500.

- L2 R. P. Langlands: Some contemporary problems with origins in the Jugendtraum. In: Math. develop. arising from Hilberts problems, AMS 28 (1976), 401-418.
- L3 - : Shimura varieties and the Selberg trace formula. Can. J. Math. 29 (1977), 1292-1299.
- L4 - : On the notion of an automorphic representation. In: Proc. of Symp. in Pure Math., AMS 33, 1 (1979) 203-207.
- L5 - : Automorphic representations, Shimura varieties, and motives. Ein Märchen. In: Proc. of Symp. in Pure Math., AMS 33, 2 (1979), 205-246.
- L6 - : On the zeta function of some simple Shimura varieties. Can. J. Math. 31 (1979), 1121-1216.
- L7 - : Base change for  $GL(2)$ . Ann. of Math. Studies 96, Princeton 1980.
- L8 - : Les débuts d'une formule des traces stable. Publ. Math. de l'Université Paris VII (1983).
- L9 - : Representation theory and arithmetic. In: Proc. of Symp. in Pure Math., AMS 48 (1988), 25-33.
- LR R. P. Langlands and H. Rapoport: Shimuravarietäten und Gerben. J. Reine Angew. Math. 378 (1987), 113-220.
- LS1 R. P. Langlands and D. Shelstad: On the definition of transfer factors. Math. Ann. 278 (1987), 219-271.
- IS2 - : Orbital integrals on forms of  $SL(3)$ , II. Can. J. Math., 41 (1989), 480-507.
- MI J. S. Milne: Points on Shimura varieties mod  $p$ . In: Proc. of Symp. in Pure Math., AMS 33, 2 (1979), 165-184.

- M2 J. S. Milne: Etude d'une classe d'isogénie. In: Varieties de Shimura et Fonctions L, Publ. Math. de l'Université Paris VII (1979), 73-81.
- M3 - : The action of an automorphism of  $\mathbb{E}$  on a Shimura variety and its special points. Prog. in Math., 35, Birkhäuser, Boston 1983.
- MS1 J. S. Milne and K. -y. Shih: Langlands's construction of the Taniyama group. In: P. Deligne et al.: Hodge cycles, motives, and Shimura varieties, Springer Lecture Notes in Math., 900 (1982), 229-260.
- MS2 - : Conjugates of Shimura varieties. In: P. Deligne et al.: Hodge cycles, motives, and Shimura varieties, Springer Lecture Notes in Math., 900 (1982), 280-356.
- Ra H. Rapoport: On the local zeta function of quaternionic Shimura varieties with bad reduction. Math. Ann., 279 (1988), 673-697.
- RaZ H. Rapoport and T. Zink: Über die lokale Zetafunktion von Shimuravarietäten. Invent. Math., 68 (1982), 21-101.
- ReZ H. Reimann and T. Zink: Der Dieudonnémodul einer polarisierten abelschen Mannigfaltigkeit vom CM-Typ. Ann. of Math., 128 (1988), 461-482.
- Sh D. Shelstad: Orbital integrals and a family of groups attached to a real reductive group. Ann. Scient. Éc. Norm. Sup., (4) 12 (1979), 1-31.
- Ta J. Tate: Number theoretic background. In: Proc. of Symp. in Pure Math., AMS 33, 2 (1979), 3-26.

- Ti J. Tits: Reductive groups over local fields. In: Proc. of Symp. in Pure Math., AMS 33, 1 (1979), 29-69.
- Z1 T. Zink: Über die schlechte Reduktion einiger Shimuramannigfaltigkeiten. Comp. Math., 45 (1981), 15-107.
- Z2 - : Isogenieklassen von Punkten von Shimuramannigfaltigkeiten mit Werten in einem endlichen Körper. Math. Nachr., 112 (1983), 103-124.